

INGENIUM CO.,LTD

COMPANY PROFILE

SINCE 2015



BUSINESS PROFILE.

Company Name : Ingenium Co.,Ltd

Business Trade Name : Engineering & Turnkey Installation Services

Date Established : March 2015

Tax ID : 0-1255-58007-26-4

Business Address (Head Office) : 25/38 Moo 4 T.Bang Phai A.Muang Nonthaburi,11000 Thailand

Business Address (Factory) : 37/22 Moo 6 Lat Lum Kaeo, Lat Lum Kaeo District, Pathum Thani 12140 Thailand

Contact Numbers : Tel/Fax . 02-117-4619

Register Capacity : THB 20,000,000

Employee : 40 Person (Full time employee)

Email : itti@ingenium.co.th

Web Site : www.ingenium.co.th










ABOUT US.

Ingenium Co.,Ltd was established since March 2015. We have experience and expertise in bulk solids material handling system and provide LEAN production solutions within various industries. We focus on the complete production process from bulk material handling system, Industrial Sieving and Screening Equipment, High-end Rotary Valves and Diverter Valve, Plastic extrusion System, Pneumatic conveying system, IBC System and production intermittent processes including movement and lifting of goods.

We cover engineering design, manufacturing for stainless and mild steel work, Professional installation service, Commissioning start-up services, and after-sales services.

Ingenium Co.,Ltd projects today range in scope from equipment and accessory sales to complete design and installation of turnkey systems. Our goal is to create a long and successful relationship with our customers to help them achieve improvement of product quality, increase production efficiency and improve labor operations.



5 PILLARS OF OUR BUSINESS

1. Engineering & Consulting Services



 Process Improvement Consulting Services

Analyze and optimize production processes for better efficiency.

Engineering Design

3D process concept design and equipment layout integration.

2. Manufacturing & Fabrication



Bulk Material Handling Components

Supply of equipment and components for bulk material handling.

Structural Steel Fabrication

Fabrication of stainless/mild steel structures, silos, hoppers, tanks, and piping.

3. Installation & System integration



Installation Service

Professional installation services for bulk material handling and other systems.

Electrical and Control

PLC programming and operation interface for AB, Siemens, Omron, Mitsubishi, etc.

4. Logistics & Manpower Services



Loading and Unloading Labor Services

Equipment unloading, unpacking, and positioning services.

Manpower Supply Services

Skilled labor supply for installation and commissioning support.

5. After-Sales &Support Services



 After Sales/Service and Support

24/7 technical support by skilled technicians.

Certified Service Partner

1st Certified DMN service partner in Southeast Asia



BOARD OF MANAGEMENT



Chairman & Co-Founder



Suchin Kingkaew

President & Co-Founder



Sanao Maneepruk

Senior Legal & **Business Advisor**



Sutat Puolprasert



Sujitta Kingkaew

Patcharaporn Sasiwimonrit

Chief Officers



Noppharoj Lertakkharawitch



Tanapan Pidkanpai



Adisak Arunrung




Nattapong Thamsuna




Supakit Piwpong



Paritat Kompachua





Professional Installation Services

Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

SAFETY FIRST...NO COMPROMISE.

IN-HOUSE SAFETY TRAINING (IG SAFETY DAY)

List of Safety Training Courses with Certificates (for Site Access):

- ✓ Supervisor Safety Officer Training.
- ✓ Working at Height Safety Training.
- ✓ Scaffolding Erection and Inspection Training.
- ✓ Confined Space Entry Safety Training.
- ✓ Crane Operation Safety Training 4 Key Roles.
- ✓ Basic Firefighting and Emergency Response Training.



























SAFETY FIRST... FIVE MINUTES FOR YOUR LIFE













INGENIUM SITE OFFICE AND STORAGE AREA









ENGINEERING DESIGN CENTER.

By 3D and 2D Licensed program









Adobe Acrobat











CERTIFICATE.


- Effective Safety Training.
- Basic Vibration, Alignment and Balancing Training.







PROGRESS REPORT







QUALITY CONTROL (QC)

- Raw material certificate report.
- Coating layer thickness inspection.
- Roughness inspection.
- PT Test (liquid penetrant test).
- RT (Radiographic Test).
- Dimension Inspection Report.



हुँ विद्वितिकार / Approved by Technicism	Print surprigation (Appeared by QC Suspector	Article Cappe wed by Mechanical Manager Articles
her govern	।मार्केन्ड	Hotoark,
(นาย ยอง จุดมสนกร) วันที่ 2019-2021	(เกษ เพิ่มสักดิ์ แสะเกษุ) วันที่ 2014/2014	(บายศักดิ์สถาด์ บุญพิเพ่) วันที่ วยกระบาง



ត្តកក៏រ Codemic		numatica Isla No.	292411122		
Sector Project Name	Service Findings	Deswing No.	CHZ4 34-AF		
To Turru Penint Name	Sink Filling Flatform	Learning res.	CHEST STATE		
67 125					





Character Co.	Charles and Applications of the Land States		
- Raid ma		2 G 2 2 2 2 1	
-	20 20 10 10	A CONTRACTOR OF THE PARTY OF TH	
1		the me to the min to	が 10 日本 10 mm 10
	美祖一一房世安全一 9	harden into the president harden a	
Charles and Contraction of		he be in he he in he had a	
and the second	THE R. LEWIS CO., LANSING, MICH.	hale what a principle and	The second secon
	Account to the same of the sam	Standard Law Law State Street Law Law Com-	
N. Indianasia		ter to tendence below her?	
	Personal Principal Line Const.	contract on the particular was to	
The Property of		the lite (or her has been been been been been been been bee	the same of the last of the la
CRECIONAL	manufacture and applications.	THE OF THE LINE AND DESCRIPTION AND DESCRIPTION OF THE PARTY OF THE PA	TAXABLE DEGREE ON COMMUNICATION OF THE PARTY
The second second	The second second second second	mental temperature bearing	will be the control of the control o
a manual	Asserted the Report of the Chief.	where the first that has been been been a	
The second	The state of the s	describe in ancientario processioni.	
V. F. 18		process of the law to the law hour 's	
1	-		of the contract of the last two last
1 000 2	Since Service and the lands		
Company Street, or other	the firms in a hard-one of the		Marie Carlotte Company
	and the street of the second		the state of the parties of the state of the


















ENGINEERING CALCULATION


Steel structure Strength Calculation Report (By STAAD.Pro)




Steel design ratio of steel platform (Overall < 1.00 Pass)

No	Steel size	Type of member	Steel design ratio	Result	
1	H-250×125×6×9 mm.	Main beam	0.264	< 1.00 (Pass)	
2 [-100x50x5x7.5 mm.		Sub beam	0.252	< 1.00 (Pass)	
3	H-100x100x6x8 mm.	Bracing	0.409	< 1.00 (Pass)	

Steel design ratio detail by property







Wind load input								Min My Max Mz Min Mz	1
			Horizontal	Vertical	Horizontal		Moment		
	Node	LIC	Fx kg	Fy kg	Fz kg	Mx kg-m	My kg-m	Mz ka-m	
Max Fx	26	102 DL+0.85WATER+0.7WIND	5513.888	21253.916	2,307	0.000	0,000		000
Ain Fx	38	101 DL+0.85WATER	-4806.100	18612.547	-1.692	0.000	0.000	0.0	100
Max Fy	26	102 DL+0 85WATER+0.7WIND	5513.888	21253.916	2.307	0.000	0.000		000
Ain Ey	37	102 DL+0.85WATER+0.7WIND	-3091.326	6428.824	-473 160	0.000	0.000	0.0	000
lax Fz	46	102 DL+0.85WATER+0.7WIND	1772 498	20003.217	4948.618	0.000	0.000	0.0	000
Ain Fz	30	102 DL+0.85WATER+0.7WIND	1788 864	20020.185	-4937.288	0.000	0.000	0.0	000
fax Mx	26	101 DL+0.85WATER	4806.100	18612.547	1.692	0.000	0.000	0.0	000
lin Mx	26	101 DL+0.85WATER	4806 100	18612.547	1.692	0.000	0.000	0.0	000
lax Mv	26	101 DL+0.85WATER	4806.100	18612.547	1.692	0.000	0.000	0.0	000
lin My	26	101 DL+0.85WATER	4806.100	18612.547	1.692	0.000	0.000	0.0	000
lax Mz	26	101 DL+0 85WATER	4806.100	18612.547	1.692	0.000	0.000		000
lin Ma	28	101 DL+0 REWATER	4906 100	19812 547	1 802	0.000	0.000	0.0	000

Summary reaction force in bolt (Load from Silo calculation report

= 0.4x4,000x4.908= 7,853.98 > 5,513.88 kg. (Pass) $= 0.4 \times 2,400 \times (2.8 \times (15.0 - 2.7))$ = 33,062.4 kg. > 5,513.88 kg. (Pass)

Use 24-M24 Anchor bolt (Strength of anchor bolt = 4,000 ksc. As minimum)







Stainless checkered plate 4 mm. stress, maximum = 40.9 kg/cm2 < 0.6ty = 0.6x2,400 = 1,440 kg/cm2 (Pass)	

			Horizontal	Vertical	Horizontal	Moment		
	Node	L/C	Fx kg	Fy	Fz	Mx kg-m	My kg-m	Mz kg-m
Max Fx	23	101 Dt.+LL	331.043	7330.667	-479.530	0.0001	0.000	0.000
Min Fx	22	101 DL+LL	-335.595	8528 191	-518.467	0.000	0.000	0.000
Max Fy	22	101 DL+LL	-335,595	8528,191	-518.467	0.000	0.000	0.000
Min Ey	431	101 DL+LL	2.348	245.622	-1.160	0.000	0.000	0.000
Max F2	140	101 DL+LL	-0.279	977.096	626.058	0.000	0.000	0.000
Min F2	22	101 DL+LL	-335.595	8528 191	-518,467	0.000	0.000	0.000
Max Mx	1	101 DL+LL	33.322	2099,103	85.361	0.000	0.000	0.000
Min Mx	1	101 DL+LL	33.322	2099 103	85.361	0.000	0.000	0.000
Max My	1	101 DL+LL	33 322	2099 103	85.361	0.0001	0.000	0.000
Min My	1	101 Dt.+LL	33.322	2099.103	85.361	0.000	0.000	0.000
Max Mz	-1	101 DL+LL	33 322	2099 103	85.361	0.000	0.000	0.000
Min Mz	1	101 DL+LL	33.322	2099.103	85.361	0.0001	0.000	0.000


175 210 245 280 315 385 420 455 490 525





Stainless steel Checkered plate 4 mm, 31.5 Kg/m2 (0.315 kH/m2)

The Steel Structure Strength Calculation Report is prepared to verify that the structure is strong, safe, and complies with engineering standards. It supports construction permit applications and serves as a technical reference for all stakeholders. Copyright © 2015 All Rights Reserved. - INGENIUM CO., LTD



Industrial Sieving & Screening Equipment.




































High-end Rotary Valves & Diverter.

DMN-WESTINGHOUSE has been designing and manufacturing rotary valves, diverter valves and other related components for the bulk solids handling industry for many years.






Diverters by DMN-WESTINGHOUSE come in many types and sizes, suitable for a specific use or a variety of applications. The extensive diverter range comprises a series of plug diverters (dual pipe, single pipe, CIP suitable, gravity) and tube diverters (2-14 ports), some of which are also available in USDA Dairy accepted version. For the mineral industry, the BTD ball type diverter with its rugged design is very suitable for handling abrasive products.





Our rotary valves and diverters have a well-established reputation for being able to handle all kinds of dry powders and granular materials, such as sugar, cocoa, starch, flour, chemical ingredients, lime powder, china clay, fly ash and wood chips. A number of standard rotary valves can be upgraded, depending on the product handled. The housing can be made from Ni-hard casting when working with abrasive products, such as fly ash. Or the inside of the housing can be coated with chromium or tungsten when working with mild abrasive products. What's more, the valve can be fitted with a special rotor when processing sticky products or starch, for example.



ROTARY VALVES

High-end Rotary Valves & Diverter.











CERTIFIED

What does this mean for you as a customer?

- ✓ Annual inspection and maintenance
- √ 24/7 service, 365 days a year
- Serviceman within 24 hours on site in case of a defect
- ✓ Advise on increasing the maintenance interval
- Smaller chance of a production standstill due to breakdowns
- ✓ Also possible with delivery through a retailer
- ✓ Under conditions possible in retroaction







QUALIFIED, VERIFIED, CERTIFIED!



Brambati specialises in coffee production plants and similar types.

We can supply "turnkey" plants, from the reception of green coffee up to feeding packaging machines, through cleaning, storage, weighing, blending, roasting, conveyance (with either traditional mechanical conveyors or the latest generation of slow conveyors), grinding and degassing.

Our roasters come in a variety of sizes, from 5-7.5Kg/batch (20Kg/h.) to 600Kg/batch (3000Kg/h.). They can be the traditional type (KAR or KAR-S models) or with highly automated design (BR models), allowing for complete flexibility in controlling the coffee roasting process, by adapting the roasting features to the different Customer requirements.





CUSTOMER CARE SERVICE



Brambati specialises in coffee production plants and similar types.

Brambati has introduced a new Customer Care service to provide our customers with quick and efficient

assistance worldwide.

Phone line
Our service numbers are
0383 73795 when calling from Italy
+39 0383 73795 when calling from abroad

For quick access to the service, please prepare the following information in advance:

- ✓ Company data
- ✓ Customer code (unique code assigned to each Brambati customer via e-mail)
- ✓ Type of machine/plant with serial number or wiring diagram of reference
- ✓ Contact person to call back
- Severity of the fault (informational, nonblocking, partially blocking, total block)









Training certificate



2 piab


Vacuum conveyors for bulk powders, granules, and small parts

Piab's vacuum conveying system is a premier powder conveying technology solution. It provides a safe and clean way to handle bulk solids. This includes handling fine dust, abrasive materials, and materials that absorb moisture (hygroscopic) or form bridges. These vacuum powder transfer systems represent an ideal alternative to traditional conveying methods, ensuring no product quality variations while minimizing product loss.

Powder Conveying System for Any Use Case - piFLOW® Vacuum Conveyors by Piab

Piab's vacuum conveying systems lead the industry in powder conveying, delivering versatile and practical solutions for powder conveying applications. Their compact design and unwavering reliability represent the superior choice across diverse sectors. Piab's vacuum conveying systems are optimal powder conveying solutions, offering unparalleled safety and hygiene. Equipped with innovative technology like COAX®, these systems are the epitome of efficiency in vacuum conveying for powder handling. Configurations are straightforward and reliable, using the most energy-efficient way to produce the vacuum. They are available with:

- ✓ ATEX Dust certified, install in zone 21,22
- ✓ ATEX Dust and Gas certified Conveying granules in explosieve dust and gas atmosphere
- √ in compliance with FDA
- ✓ with either an ejector-driven vacuum pump or a mechanical pump
- ✓ premium stainless-steel body













Full-stack solution

Full-process services from raw material debagging, silo, dosing, mixing to control systems.




Pipe Extrusion

30 years in plastics pipe R&D



Automation

10 years in materials weighing & compound solution



JOB REFERENCE. STABEM


Job Design Reference for BFM



- 100% dust tight seal
- No product build-up, no contamination
- Standard sizes 100-650 mm diameter
- FDA and 3-A hygiene certification
- Ideal for Clean in Place (CIP)
- Certified explosion resistance
- Vacuum resistant







Adaptor Reducopyright © 2015 All Rights Reserved. - INGENIUM CO., LTD










Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Stainless Platform With Hygienic Design






















Bulk Bag Unloading System








Piping Fabrication and Erection Work















Can Line Project












Installation Job For Compounding plastic extrusion lines










Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Big Bag Unloading Station with Bucket Elevator Transfer System







SUS304 Platform




Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Big Bag Unloading Station with Roller Conveyor











BRAMBATI S.p.A.

BRAMBATI. Design and Supply Main Equipment INGENIUM. Supply Local Equipment and Installation work for Coffee Plant ROASTER MOD. BR3600









Installation Work for ME
Platform and Structure Frame


















Silo 10 Chamber @ 2 Silo


Complete line Coffee Roaster Plant - Installation













Big Bag Station for Bulk Bag









Storage Silo Installation Over than 147 Silo



















Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

METHOD OF STATEMENT of....Silo lifting & Installation


BUHLER 6 GFSILO

- External LIPP Silo and Flat Silo Installation

































Schrage

CONVEYING SYSTEMS

Installation Chain Tube Conveyor for PET Food (20 Ton / Hr.)





3D Equipment Drawing



Move Existing Equipment out



Up-Packing and Check




Installation Job



Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Schrage










Un loading - Un Packing Installation Work








Schrage CONVEYING SYSTEMS

Installation Chain Tube Conveyor for PTA Powder (35 Ton / Hr.)









Installation Work



3D Equipment Drawing

Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTI

Big Bag Filler with weight scale.

Batching Control Accuracy +- . 0.3-0.5%



Tipping Station





Installation Job



JOB REFERENCE.

Use in ເບລິ່ນ ເບລິ່ນ ເບລິ່ນ ເບລິ່ນ ເບລິ່ນ ເພື່ອນ ເບລິ່ນ ເພື່ອນ Ingenium Co.,Ltd . Support for Installation work.

















Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

บริษัท เบ็ลท แอนด์ แบริ่งส์ จำกัด Belt And Bearings Co., Ltd.

Belt and Bearings Co.,Ltd . Supply Main Ingenium Co.,Ltd . Support for Installation work.


















Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Installation for Animal Feed Factory

- Installation Steel Structure Frame for Building.

- Installation for PET Food Machine 1 Line.

Complete with.-


- ✓ Raw Material Receiving
- ✓ Batching System
- ✓ Mixing System
- ✓ Grinding System
- ✓ Pulverizer System
- ✓ 2nd Mixing System
- ✓ Extrusion system
- ✓ Drying System
- ✓ Liquid Coating & Cooling System
- ✓ Finish Products System
- ✓ Packaging System
- ✓ Liquid Adding System
- ✓ Electrical Control System





Installation for PET Food Factory


Installation Main Machine for PET Food Machine 5 Line.
 Complete with.-




- ✓ Raw Material Receiving
 - External LIPP Silo Dia 8 m. x H18 m. (1000 m3) @ 2 Unit
 - External LIPP Silo Dia 5.5 m. x H12 m. (350m3) @ 7 Unit


- External Flat Silo Dia 5.5 m. x H12 m. (350m3) @ 5 Unit

- ✓ All Silo and Dia 2 m. x H12 m. Bin @ 147 Unit
- ✓ All Bucket Elevator
- ✓ Batching System
- ✓ Mixing System
- ✓ Grinding System
- ✓ Pulverizer System
- ✓ Extrusion System
- ✓ Drying System
- ✓ Coating System
- ✓ Finish Products Bin
- ✓ Platform and Support
- ✓ Piping for Pneumatic Transfer





Turnkey: Sheet Packages: Storage Silo















Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Turnkey: Sheet Packages





han be belowed at





Copyright © 2015 All Rights Reserved. - INGENIUM CO.,LTD

Un-loading and Un-Packing and Move to Storage area

The maximum number of containers in 1 unloading job is 300 containers.









Complete Progress report Unloading


































Our panel are designed and program by people who understand panel, ever to operate the system and maintenance the panel. Since we also support our and other vendors products.





Control With AB PLC




Mimic Diagram & Nameplate






Electrical with
Pneumatic Control



Machine Safety Control



Main Equipment . Dinnissen Process Technology Ingenium . Supply Electrical Component and Installation Work
























Electrical Installation Work.





















EXHIBITION OF INGENIUM

ASIA





THAILAND COFFEE FEST











CORPORATE SOCIAL RESPONSIBILITY (CSR)













Nestle

Good Food, Good Life

KERRY



PCG

ชีพี รีเทลลิงค์ จำกัด

PERFECT COMPANION GROUP CO.,LTD.































SCG CHEMICALS

NAWA





ENGE PLAS





KATOEN NATIE

PiovanGroup



บริษัท ไทยนครเพนท์แอนด์เคมีคอล จำกัด THAINAKORNPAINT AND CHEMICAL CO.LTD














Eat Well, Live Well.











บริษัท เบ็ลท แอนด์ แบริ่งส์ จำกัด Belt And Bearings Co., Ltd.











Thankyou

